
Introduction to Structure-from-Motion




 \sim 500 points/m² coloured point cloud along a \sim 1 km section of the 2010 El Mayor-Cucapah earthquake rupture generated from \sim 500 photographs captured in 2 hours from a helium blimp

Lidar (ALS, TLS, MLS)

- Expensive laser equipment required
- Works in densely-vegetated landscapes
- Uses precise time-of-flight measurements but prone to artifacts from GPS and IMU

- Requires only a cheap camera
- Coloured points & orthophoto for texture mapping
- Back-solves for camera parameters; warping artifacts are a common problem but easily mitigated



The original idea

Proc. R. Soc. Lond. B. 203, 405-426 (1979)

Printed in Great Britain

The interpretation of structure from motion

By S. Ullman

Artificial Intelligence Laboratory, Massachusetts Institute of Technology, 545 Technology Square (Room 808), Cambridge, Massachusetts 02139 U.S.A.

(Communicated by S. Brenner, F.R.S. – Received 20 April 1978)

The interpretation of structure from motion is examined from a computional point of view. The question addressed is how the three dimensional structure and motion of objects can be inferred from the two dimensional transformations of their projected images when no three dimensional information is conveyed by the individual projections.

Where it all started... The algorithm that powers SfM

Proc. of the International Conference on Computer Vision, Corfu (Sept. 1999)

Object Recognition from Local Scale-Invariant Features

David G. Lowe

Computer Science Department University of British Columbia Vancouver, B.C., V6T 1Z4, Canada lowe@cs.ubc.ca

Abstract

An object recognition system has been developed that uses a new class of local image features. The features are invariant to image scaling, translation, and rotation, and partially invariant to illumination changes and affine or 3D projection.

• The **Scale Invariant Feature Transform (SIFT)** (Lowe, 1999) allows corresponding features to be matched even with large variations in scale and viewpoint and under conditions of partial occlusion and changing illumination



First use of the SIFT algorithm to generate large point clouds

Snavely et al. (2006). Photo Tourism: Exploring Photo Collections in 3D, ACM Transactions on Graphics

Snavely et al. (2007). Modeling the World from Internet Photo Collections, International Journal of


Computer Vision



Using photographs from a **moving** camera (or cameras)...


... reconstruct the scene **structure** (i.e. the geometry of the target *and* the positions, orientations & lens parameters of the cameras)


First geoscience applications




Left. Westoby *et al.* (2012). Structure-from-Motion photogrammetry: A low-cost, effective tool for geoscience applications. *Geomorphology*

Right. James & Robson (2012). Straightforward reconstruction of 3D surfaces and topography with a camera: Accuracy and geoscience application. *Journal of Geophysical Research*










• The **Scale Invariant Feature Transform (SIFT)** (Lowe, 1999) allows corresponding features to be matched even with large variations in scale and viewpoint and under conditions of partial occlusion and changing illumination






Step 2

When we have the matching locations of multiple points on two or more photos, there is usually just one mathematical solution for where the photos were taken.

Therefore, we can calculate individual camera positions (x, y, z), (x', y', z'), orientations i, i', focal lengths f, f', and relative positions of corresponding features b, h, in a single step known as "bundle adjustment".


This is where the term Structure from Motion comes from. Scene **structure** refers to all these parameters; **motion** refers to movement of the camera




Step 3

Next, a dense point cloud and 3D surface is determined using the known camera parameters and using the SfM points as "ground control".

All pixels in all images are used so the dense model is similar in resolution to the raw photographs (typically 100s – 1000s point/m²). This step is called "multiview stereo matching" (MVS)






Step 4


Georectification means converting the point cloud from an internal, arbitrary coordinate system into a geographical coordinate system. This can be achieved in one of two ways:

- **directly,** with knowledge of the camera positions and focal lengths
- indirectly, by incorporating a few ground control points (GCPs) with known coordinates. Typically these would be surveyed using differential GPS



GCPs surveyed with roving receiver


GPS base station



Traditional stereo-photogrammetry

- Requires a stable platform such as a satellite or aeroplane at a fixed elevation
- Photographs collected at known positions with fixed orientations and incidence angles

- Photos from many angles and distances can be used, with no *a priori* knowledge of locations or pose
- Enables "unstructured" image acquisition from the ground, legacy air-photosets, or unmanned platforms



SfM & MVS software

Table 1 Examples of open source and commercial software for photo-based 3d reconstruction.

Software	Url (valid on 17 May, 2014)	Notes
Freely available		
Bundler Photogrammetry	http://blog.neonascent.net/archives/bundler-	Used in James and Robson (2012). Script-based, no graphical user interface
Package ^{a,b}	photogrammetry-package/	(GUI). Windows OS only.
SFMToolkit ^{a,b}	http://www.visual-experiments.com/demos/sfmtoolkit/	Similar software to above.
Python Photogrammetry	http://code.google.com/p/osm-bundler/	Formerly OSM-bundler. Python-driven GUI and scripts, with a Linux
Toolbox (PPT) ^{a,b}		distribution.
VisualSFM ^b	http://www.cs.washington.edu/homes/ccwu/vsfm/	Advanced GUI with Windows, Linux and Mac. OSX versions. Georeferencing options, but camera model is more restricted than that used in Bundler.
3DF Samantha	http://www.3dflow.net/technology/samantha-structure-	SfM only, but with more advanced camera models than all above (Farenzena
	from-motion/	et al., 2009). Provides output compatible with several dense matching
		algorithms.
Web sites and services		
Photosynth	http://photosynth.net/	Evolved from Bundler. SfM only, no dense reconstruction. Can incorporate a very wide variety of images, but does so at the cost of reconstruction
Arc3D	http://www.arc3d.be/	accuracy. Vergauwen and Van Gool [2006]
CMP SfM Web service ^a	http://ptak.felk.cvut.cz/sfmservice/	vergatiwen and van Goor (2000)
Autodesk 123D Catch	http://www.123dapp.com/catch/	
Pix4D	http://pix4d.com/	Also available as standalone software.
My3DScanner	http://www.my3dscanner.com/	Also available as standarone software.
Commercial	http://www.mysuscamer.com/	
PhotoScan	http://www.agisoft.ru/products/photoscan/	Full SfM-MVS-based commercial package.
Acute3D	http://www.acute3d.com/	ran on maro basea commercial package.
PhotoModeler	http://www.photomodeler.com/	Software, originally based on close-range photogrammetry, now also implements SfM.
3DF Zephyr Pro	http://www.3dflow.net/	Underlying SfM engine is 3DF Samantha

Note: Table modified from http://www.lancaster.ac.uk/staff/jamesm/research/sfm.htm.


SfM = Structure from Motion; MVS = Multi-View Stereo.

Bemis *et al.* (2014). Ground-based and UAV-Based photogrammetry: A multi-scale, high resolution mapping tool for structural geology and paleoseismology. *Journal of Structural Geology*

^a Uses Bundler (http://phototour.cs.washington.edu/bundler/) to compute structure from motion.

^b Uses PMVS2 (http://grail.cs.washington.edu/software/pmvs/) as a dense multi-view matcher.

SfM & MVS software



Agisoft Photoscan Metashape Pro: \$549 for an academic licence.

- Workflow includes *both* SfM *and* MVS, and builds DSM and orthophoto
- Intuitive graphical user interface (GUI)
- Data are georeferenced automatically if camera GPS stamps are available
- Camera calibration with Agisoft Lens
- Vertically-oriented orthophoto possible for trenching (see Reitman et al., 2015, BSSA)

SfM & MVS software



Products | Solutions | Pricing | Services | Resources | Blog

Measure from images

A unique photogrammetry software suite for drone mapping